

Grease Remover for stone & Detergent for exterior walls

OLIVE

Features

- **OLIVE** is professional strength, alkaline formulated powers through stubborn grease & soils
- Remove of dirt such as the exhaust gas which stuck to exterior walls

Applications

- Natural stone such as marble, granite, limestone, travertine, terrazzo, sandstone and etc
- Ceramic tile, porcelain tile & grout
- Masonry & concrete

Direction for removal of dirt and soil

1. Mask off and protect any metals, baseboards or adjacent areas to avoid splashing, dripping, and avoid apply onto surfaces not intended to be cleaned.
2. Apply **OLIVE** with brush and agitate with a scrub brush. Use **OLIVE** undiluted solution to dilute 3(three) times with water.
3. Wipe oil off quickly when oil comes up.
4. Rinse area well with clean water and wipe dry. Thoroughly rinse all metal surfaces with clean water.
5. Wipe up with a clean dry towel, sponge or mop.
6. If stain is not completely gone after drying, repeat process.

Direction for removal of heavy grease spot

1. Mask off and protect any metals, baseboards or adjacent areas to avoid splashing, dripping, and avoid apply onto surfaces not intended to be cleaned.
2. Apply **OLIVE** with brush then put paper towel and cover with plastic wrap on top. Use **OLIVE** undiluted solution to dilute 3(three) times with water.
3. Allow 1-24 hours to penetrate. After that wipe grease off quickly when oil comes up.
4. Rinse area well with clean water and wipe dry. Thoroughly rinse all metal surfaces with clean water.
5. Wipe up with a clean dry towel, sponge or mop.
6. If stain is not completely gone after drying, repeat process.

Direction for wash of dirt and soil for exterior walls

7. Mask off and protect any metals, baseboards or adjacent areas to avoid splashing, dripping, and avoid apply onto surfaces not intended to be cleaned.
8. Apply **OLIVE** with brush and agitate with a scrub brush. Use **OLIVE** undiluted solution to dilute 3(three) times with water.
9. Wipe oil off quickly when oil comes up.
10. Rinse area well with clean water and wipe dry. Thoroughly rinse all metal surfaces with clean water.
11. Wipe up with a clean dry towel, sponge or mop.

It is effective using high pressure washing machine to rinse.

Coverage : 7~10 m²/ℓ

Caution

1. Read MSDS carefully and ensure that the area is well-ventilated during application.
2. Make sure **OLIVE** is suitable for your specific purpose conditions and applications before use. Always test in a small inconspicuous area to determine ease of use and desired results.
3. Clean and rinse towel/brush with water.
4. When it stuck the surface of metal surfaces and glass, rinse well with clean water immediately.
5. Don't mix anything other than water.
6. When **OLIVE** stuck your skin, rinse well with clean water immediately.
7. When **OLIVE** was in eyes and the mouth accidentally, rinse well with clean water immediately (more than 15 minutes). Please talk with a doctor if anxious.
8. Store **OLIVE** in a sealed container, in a cool place(30°C or below), keep out of the reach of children.
9. Be careful not to spill **OLIVE** when pounding from storage container.
10. Avoid touching the skin as much as possible when using **OLIVE**. Wear the eye shield, the protective glove, and the apron, etc. when you work.
11. Please use **OLIVE** as early as possible after opening a letter.
12. Wash your hand and gargle enough after it uses it.
13. Do not use **OLIVE** for any other purposes.

Properties

Appearance: Clear Liquid

Available Sizes: 4 Liter & 18 Liter

Storage conditions: Use within one year from when sealed off and stored below 30°C

* **OLIVE** does not use raw materials containing formaldehyde at all.

* For improvement of a product, there is a case to change contents without a notice.